

Web Images Maps News Shopping Gmail more ▾

[Sign in](#)



"pin encryption key"

Search

[Advanced Search](#)
[Preferences](#)

Web

Results 1 - 10 of about 570 for "pin encryption key". (0.26 seconds)

[PDF] [CHAPTER NINE - SECURITY](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

encrypted under a unique PIN encryption key not. used for any other purpose. Access to stored, a PIN encryption key may be used for a ...
[ebt.nacha.org/docs/Chapter_9.pdf](#) - [Similar pages](#)

[PDF] [NYCE LAUNCHES PIN DEBIT SECURITY AWARENESS PROGRAM](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

PIN Encryption Key, PIN Keys,. Key A, Terminal Master Key. Encrypt PINs or other keys in. static manner. Change immediately if. compromise is confirmed or ...
[www.nyce.net/pdf/PIN_debit_encryption.pdf](#) - [Similar pages](#)

[BlackBerry Enterprise Server's New Features, Part 1](#)

First, a device that doesn't have the PIN-to-PIN encryption key (such as a device outside your organization) will discard the encrypted PIN-to-PIN messages ...
[windowsitpro.com/Windows/Articles/ArticleID/40061/pg/3/3.html](#) - [Similar pages](#)

[Re: Re: HSM - help on standards: msg#00103](#)

I am working with a client that is using an Atalla 9100 HSM and when > they generate a Pin Encryption Key (KPE) it, by default I believe has a > variant of ...
[osdir.com/ml/java.jpos.devel/2005-10/msg00103.html](#) - 22k - [Cached](#) - [Similar pages](#)

[PDF] [PIN INJECTION AND KEY MANAGEMENT Procedures and Forms](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

The PIN pad is connected to the loading device and the PIN Encryption Key (PEK) is loaded into the device. This. is repeated until all PIN pads scheduled ...
[www.asiatm.com/downloads/ISO_Pin_Injection.pdf](#) - [Similar pages](#)

[Discount Credit Card Machines](#)

... PIN input for debit, EBT, and other PIN-based transactions Meets ISO and ANSI standards for PIN encryption, key management and Message Authentication. ...
[www.discountcreditcardmachine.com/sessearch.php?q=pin](#) - 22k - [Cached](#) - [Similar pages](#)

[Derived unique key per transaction - Wikipedia, the free encyclopedia](#)

Rather, a different key is irreversibly derived from the BDK (and within a TRSM), known as the "Initial PIN Encryption Key" (IPEK). ...
[en.wikipedia.org/wiki/Derived_unique_key_per_transaction](#) - 22k - [Cached](#) - [Similar pages](#)

[\(WO/2007/148236\) DECRYPTION OF PERSONAL IDENTIFICATION NUMBER AND ...](#)

[11] An Internet Protocol-compatible network element comprising: a first memory having stored therein personal identification number (PIN) encryption key ...
[www.wipo.int/pctdb/en/wo.jsp?IA=WO2007148236&WO=2007148236&DISPLAY=CLAIMS](#) - 19k - [Cached](#) - [Similar pages](#)

[Specifications \(English Version\)](#)

PIN Encryption Key Management: Unique Key Per Terminal, Master/Session Key Management, and Derived Unique Key Per Transaction ...
[www.innovonics.com/pcpay/overview/specifications.html](#) - 17k - [Cached](#) - [Similar pages](#)

Andy Orrock | Payment Systems: Creating an IPEK from a given KSN ...
By the way, is Initial PIN Encryption Key (IPEK) equivalent to DUKPT Initial Key ... Could
you post an example that shows the Pin Encryption Key and the ...
www.andyorrock.com/2006/11/creating_an_ipe.html - 33k - [Cached](#) - [Similar pages](#)

1 2 3 4 5 6 7 8 9 10 [Next](#)

"pin encryption key"

[Search](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#) |
[Try Google Experimental](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [Privacy](#) - [About Google](#)

Web Images Maps News Shopping Gmail more ▾

[Sign in](#)



"smart card" transaction PIN encrypt

Search

[Advanced Search](#)
[Preferences](#)

Web

Results 1 - 10 of about 115,000 for "smart card" transaction PIN encrypt. (0.17 seconds)

Did you mean: ["smart card" transaction PIN *encrypted*](#)

[Card reader module with pin decryption - US Patent 6736313](#)

Authentication system and method for smart card transactions ... and decrypting an encrypted user PIN to facilitate off-line transaction authorization. ...

www.patentsstorm.us/patents/6736313.html - [Similar pages](#)

[\[FLASH\] PC-Pay Information Merchant Issued Smartcard LOADING... PIN: 54321 ...](#)

File Format: Shockwave Flash

Since smart card transactions move funds directly from one smart card to ... The PC Pay device provides an encrypted PIN-pad for additional security. ...

www.innovonics.com/demo/airlines/pocpay.swf - [Similar pages](#)

[DNA Smart Card for Financial Transactions](#)

The smart card microprocessor encrypts the random number and sends it back to ... In contemporary financial transactions, a single PIN of a magnetic stripe ...

www.acm.org/crossroads/xrds11-1/dnasmartcard.html - 18k - [Cached](#) - [Similar pages](#)

[sci.crypt: Re: HELP, Vulnerability in Debit PIN Encryption ...](#)

not the case where PIN encryption had to be ... > derived from the card number ... requiring a PIN entry on every transaction, including credit card (as ...

www.derkeiler.com/Newsgroups/sci.crypt/2003-05/0464.html - 20k - [Cached](#) - [Similar pages](#)

[U.K. researchers devise smart-card hack | Tech News on ZDNet](#)

Feb 6, 2007 ... "When customers pay with a chip and PIN card, they have no choice but to trust the terminal when it displays the amount of the transaction. ...

news.zdnet.com/2100-1009_22-151132.html - 57k - [Cached](#) - [Similar pages](#)

[Authentication system and method for smart card transactions ...](#)

receiving the PIN at the terminal during the transaction; Conversely, if the smart card encrypts a message using its private key (which only the smart ...

www.freepatentsonline.com/5721781.html - [Similar pages](#)

[\[PPT\] Session 5a Key and PIN Management](#)

File Format: Microsoft Powerpoint - [View as HTML](#)

Generate Offline Pin & encrypt it under Transport Key. 17. How to add EMV (crypto) data to Cards? Data preparation phase, you can use. Smart Card Management ...

www.centralbank.ae/Events2007/SmartCard/ACI-Worldwide/5a-KeyandPIN.pps -

[Similar pages](#)

[\[PDF\] the ideal solution for PIN-based transactions](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Whether customers use magnetic stripe or smart card technology, ... detection, encryption coprocessor. PIN Encryption. DES: PIN-ANSI 9.8, MAC-ANSI 9.9, ...

www.lgda.com/Equipment/Multi_S9.pdf - [Similar pages](#)

[SPYRUS Rosetta Series II Smart Card & USB](#)

The PIN is used to derive a decryption key used for validation. All private data on the card, including the keys, is stored in encrypted form using a ...

www.spyrus.com/products/rosetta_smart_usb.asp - 22k - [Cached](#) - [Similar pages](#)

global card payment service, secure credit card transactions

A validated EMV chip and PIN transaction guarantees payment from the bank to the till software itself does not 'see' the PIN, even in encrypted form. ...

www.3cint.com/chip-and-pin.php - 52k - [Cached](#) - [Similar pages](#)

Did you mean to search for: "smart card" transaction PIN *encrypted*

[1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [Next](#)

"smart card" transaction PIN encrypt

[Search](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#) |
[Try Google Experimental](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [Privacy](#) - [About Google](#)

Web Images Maps News Shopping Gmail more ▾

[Sign in](#)



"smart card" transaction PIN encrypt "private key"

Search

[Advanced Search](#)
[Preferences](#)

Web

Results 1 - 10 of about 47,900 for "[smart card](#)" [transaction PIN encrypt](#) "[private key](#)". (0.22 seconds)

[DNA Smart Card for Financial Transactions](#)

The smart card microprocessor encrypts the random number and sends it back to ... In contemporary financial transactions, a single PIN of a magnetic stripe ...

www.acm.org/crossroads/xrds11-1/dnasmarcard.html - 18k - [Cached](#) - [Similar pages](#)

[\[PPT\] Session 5a Key and PIN Management](#)

File Format: Microsoft Powerpoint - [View as HTML](#)

Generate Offline Pin & encrypt it under Transport Key. 17. How to add EMV (crypto) data to Cards? Data preparation phase, you can use. Smart Card Management ...

www.centralbank.ae/Events2007/SmartCard/ACI-Worldwide/5a-KeyandPIN.pps -

[Similar pages](#)

[Authentication system and method for smart card transactions ...](#)

receiving the PIN at the terminal during the transaction; Conversely, if the smart card encrypts a message using its private key (which only the smart ...

www.freepatentsonline.com/5721781.html - [Similar pages](#)

[Home and Personal Use Examples](#)

These are real debit card transactions to load eCash to a smart card right in ... your private key by using the PIN-Pad to "unlock" the smart card where the ...

www.innovonics.com/pcpay/usage/home.html - 15k - [Cached](#) - [Similar pages](#)

[\[doc\] Implementation of Transaction Safeguards](#)

File Format: Microsoft Word - [View as HTML](#)

Smart card readers come with basic software to operate the system. information that has been encrypted with a user's private key with a single request. ...

www.dir.state.tx.us/IRAPC/practices/word/k1.doc - [Similar pages](#)

[ARCHIVED 9/28/2007](#)

For higher risk transactions, the PIN may be issued by the organization sponsoring in an encrypted signature object being created within a document, ...

www.cio.state.ny.us/esra/Guidelines_files/02-06.htm - 15k - [Cached](#) - [Similar pages](#)

[Authentication system and method for smart card transactions - US ...](#)

The smart card compares this PIN with the correct PIN kept in its memory to Conversely, if the smart card encrypts a message using its private key ...

www.patentstorm.us/patents/5721781/description.html - [Similar pages](#)

[Secure E-Commerce with Smart Cards](#)

An intruder can use a private key to easily forge transactions. ... The smart card processes any information that you need to encrypt by using your private ...

www.ntsecurity.net/article/articleid/7195/secure-e-commerce-with-smart-cards.html -

[Similar pages](#)

[SRP: Myths About Multifactor Authentication](#)

This is usually implemented by encrypting the private key on the smartcard with the ... To authenticate a transaction, the smart card uses SRP-3 as follows. ...

www.ussrback.com/crypto/srp/others.html - 16k - [Cached](#) - [Similar pages](#)

[PPT] [Smart Card Technology](#)

File Format: Microsoft Powerpoint - [View as HTML](#)

PIN is like password, which is securely stored in the Smart Card. ... Public Key used for Encryption and Private key for Decryption. Plain Text. Encrypt ...

[elearning.nic.in/mdp/4-smart-card-technology/smart-card-technology.ppt/download](#) - [Similar pages](#)

[1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [Next](#)

"smart card" transaction PIN encrypt "private key"

[Search](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#) | [Try Google Experimental](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [Privacy](#) - [About Google](#)

Web Images Maps News Shopping Gmail more ▾

[Sign in](#)



"smart card" transaction PIN encrypt "private key"

Search

[Advanced Search](#)
[Preferences](#)

Web

Results 11 - 20 of about 47,900 for ["smart card" transaction PIN encrypt "private key"](#). (0.18 seconds)

[PPT] [Whitenoise Super Key encryption](#)

File Format: Microsoft Powerpoint - [View as HTML](#)

The first level authentication PIN number is entered and the transaction begins. ... with UID, starting offset, key info, encrypts private key with ...

[www.wnlabs.com/Presentations/Stop%20Credit%20Card%20and%20Identity%20Theft.pps](#) -

[Similar pages](#)

[Highly robust biometric smart card design - Consumer Electronics ...](#)

2 Dimension and contact pins of a smart card. Table 2 Smart card pin functions

generation of a biometric-based private key for encryption ...

[ieeexplore.ieee.org/iel5/30/19895/00920462.pdf?arnumber=920462](#) - [Similar pages](#)

[11 charged in theft of 41 million card numbers - CNET News.com](#)

Aug 6, 2008 ... The only way to get the private key would be to steal each ... The hardware had to be hacked or they also had the PIN encryption keys ! ...

[news.cnet.com/11-charged-in-theft-of-41-million-card-numbers/2100-7348_3-6244876.html](#) -

70k - [Cached](#) - [Similar pages](#)

[ePaynews.com - payment news and resource center - payment resources](#)

PCI certification covers all aspects of PIN security from PIN encryption during ... Smart

card: See chip card. back to top. Transaction: This is any action ...

[www.epaynews.com/glossary/part2.html](#) - 27k - [Cached](#) - [Similar pages](#)

[Information Security Technical Report : EMV card payments – An ...](#)

The article ends by looking at some newer uses of smart card technology in ... in order to transmit the PIN encrypted between the ATM or merchant's PIN pad ...

[linkinghub.elsevier.com/retrieve/pii/S1363412706000161](#) - [Similar pages](#)

[\(WO/2000/028493\) A METHOD OF ENCRYPTION AND APPARATUS THEREFOR](#)

The symmetric key is used is the embodiment of the invention to encrypt transaction

dependent information which then forms part of the public/private key ...

[www.wipo.int/pctdb/en/wo.jsp?IA=SG1998000088&DISPLAY=DESC](#) - 36k -

[Cached](#) - [Similar pages](#)

[PDF] [Smart-Card Devices and Applications Smart-Card Variations ...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Encrypts the hash value using his private key to create a digital signature ... PINs also provide protection for keys stored on a smart card. ...

[www.netcaucus.org/books/egov2001/pdf/SmartCar.pdf](#) - [Similar pages](#)

[PDF] [Advanced Authentication](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

together with the PIN, encrypted in a secure block of data, is sent to the ... is read and encrypted under a cryptographic key held on the smart card. ...

[www.thales-esecurity.com/Whitepapers/documents/Advanced_Authentication_.pdf](#) -

[Similar pages](#)

[November 2002 ESRA Report to the Governor and Legislature \(OFT\)](#)

SSL is currently built into almost all popular Web browsers and encrypts in a ... For higher risk transactions, the PIN may be issued by the organization ...

www.oft.state.ny.us/esra/ESRA_Report_2002/ESRA_Report_section1.htm - 21k -
Cached - Similar pages

Mike Hendry - Smart Card Glossary

Summary of Smart Card Glossary Terms. ... Digital signature, An encrypted field, normally encrypted using the sender's private key, which is attached to a ...

www.mikehendry.co.uk/glossary.html - 43k - [Cached](#) - [Similar pages](#)

[Previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) [Next](#)

"smart card" transaction PIN encrypt "private key"

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Try Google Experimental](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [Privacy](#) - [About Google](#)

Web Images Maps News Shopping Gmail more ▾

[Sign in](#)



"smart card" transaction PIN encrypt "private key"

Search

[Advanced Search](#)
[Preferences](#)

Web Books

Results 21 - 30 of about 47,900 for "smart card" transaction PIN encrypt "private key". (0.10 seconds)

A Security Improved OpenSST Prototype Combining with Smart Card

will be encrypted with this secure key. A secure. transaction tunnel is established. 4.2.

Security analysis. As mentioned above, the private key of the user ...

doi.ieeecomputersociety.org/10.1109/ICNMC.2003.1243070 - [Similar pages](#)

Smart Cards and Biometrics: Your Key to PKI

All three storage methods—hard disk, floppy or smart card—could use symmetric encryption (shared-secret password or PIN) to secure the private key. ...

www.linuxjournal.com/article/3013 - 49k - [Cached](#) - [Similar pages](#)

[PDF] EMV flaws and fixes: vulnerabilities in smart card payment systems

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Jun 11, 2007 ... Signature using card's private key over terminal nonce and card ... accepted for offline transactions, with any PIN ...

www.cl.cam.ac.uk/~sjm217/talks/leuven07emv.pdf - [Similar pages](#)

CCAvenue :: FAQ's on Credit Card Processing India

A smart card is a Credit Card with a built-in microprocessor and memory used for ... SSL uses a private key to encrypt data and then sends this over the SSL ...

www.ccavenue.com/content/faq_ecommerce.jsp - 75k - [Cached](#) - [Similar pages](#)

Global Forte - Security

When a CA issues a certificate, the CA's private key is used to sign the processing systems to deliver PIN encryption and verification within the ...

www.globalforte.com/departments/security/e-business.jsp - 49k - [Cached](#) - [Similar pages](#)

[PPT] Secure Web Transactions

File Format: Microsoft Powerpoint - [View as HTML](#)

Public key encryption. Separate public key pk and private key sk ... gets a PIN; Special software on customer side sends PIN, signature, transaction amount ...

www.itlbt.ac.in/~sri/talks/secnet.ppt - [Similar pages](#)

Java CArd For E-Payment Applications - Google Books Result

by Vesna Hassler, Martin Manninger, Pedrick Moore ... - 2002 - Computers - 362 pages

Next, the whole data block is encrypted with the card's private key. ... Online PIN verification (PIN encrypted with symmetric cryptography); • Offline PIN ...

books.google.com/books?isbn=1580532918...

Accountancy Article: Electronic Signatures and Encryption ...

Good security requires that the smart card and the PIN be held separately. ... Private key encryption. In private key (symmetric) encryption, ...

www.accountancy.com.pk/articles.asp?id=3 - 46k - [Cached](#) - [Similar pages](#)

Smart Card Basics - Security (pg. 3)

The card data may be encrypted but the transmission to the host can be ... volume of transactions managed daily and the hassles that come with private key ...

www.smartcardbasics.com/security_3.html - 14k - [Cached](#) - [Similar pages](#)

[PDF] [Chip Terms Explained](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

PIN – Personal Identification Number. Post-Issuance Update. Private Key. Public Key ... of card, terminal, and transaction data encrypted by a DES key. ...

www.visa-asia.com/ap/center/merchants/productstech/includes/uploads/CTENov02.pdf -

[Similar pages](#)

[Previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) [12](#) [Next](#)

"smart card" transaction PIN encrypt "private key"

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Try Google Experimental](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [Privacy](#) - [About Google](#)

Web Images Maps News Shopping Gmail more ▾

[Sign in](#)



"smart card" transaction PIN encrypt "private key"

Search

[Advanced Search](#)
[Preferences](#)

Web

Results 41 - 50 of about 47,900 for "[smart card](#)" [transaction PIN encrypt](#) "[private key](#)". (0.18 seconds)

[PDF] [A Not So Smart Card -](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

The second data block contains information from the plain text encrypted (signed) with the private key of the card issuer (cipher text). ...

[events.ccc.de/congress/2006/Fahrplan/attachments/1115-A_Not_So_Smart_Card.pdf](#) -

[Similar pages](#)

[National Security Concerns](#)

However, a smart card that requires any part of the signing, encryption or ... of the public/private key pair and the security of the private key – and ...

[www.bizforum.org/whitepapers/ssp.htm](#) - 40k - [Cached](#) - [Similar pages](#)

[Enterprise Authentication](#)

1. Print or Email lists of PINS to be used for the next batch of transactions. 2. Download with encryption the formula or the selected PINS to a smart card ...

[www.tal-tech.com/moneypins.htm](#) - 77k - [Cached](#) - [Similar pages](#)

[PDF] [Product Brief iKey 2000 Series – Smart Devices for Two-Factor ...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

transactions. The user must first create a unique PIN to enable. the iKey 2000. iKey 2000 Smart Card. Philips 858. 8KB. 1024-bit Encryption ...

[www.stelzner.com/PDF/Rainbow-iKey2000.pdf](#) - [Similar pages](#)

[PDF] [Product Brief iKey 2000 Series – Smart Devices for Two-Factor ...](#)

File Format: PDF/Adobe Acrobat

transactions. The user must first create a unique PIN to enable. the iKey 2000. 1024-bit Encryption. Model 320. (iKey 2000 Smart Card ...

[www.cyprotect.com/rainbow/ikey2000/ikey2000productbrief.pdf](#) - [Similar pages](#)

[PDF] [Test Approach v0.3 For Secure Biometrics Match-on-Card \(SBMOC ...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

PKI transaction times suggest that the approach could meet a success The smart card reader encrypts the sample template using the session encryption ...

[csrc.nist.gov/groups/SNS/piv/documents/NIST-BMOC-Test-Approach.pdf](#) - [Similar pages](#)

[The Smart Card Cryptographic Service Provider Cookbook](#)

CryptGetUserKey should succeed without the PIN. However, some operations (such as writing to the smart card and private key operations) using the handle ...

[msdn.microsoft.com/en-us/library/ms953432.aspx](#) - 68k - [Cached](#) - [Similar pages](#)

[CS349 Introduction to E-commerce: electronic payment systems](#)

After the customer approved the transaction, an encrypted payment order was sent to ...

Because of this capacity, a single smart card can be used for many ...

[cs.wellesley.edu/~ecom/lecture/payment.html](#) - 19k - [Cached](#) - [Similar pages](#)

[Asymmetric encrypted pin - US Patent 7039809](#)

If the PIN is valid, the transaction will proceed pending other verifications. is not provided the private key which is required to open the encrypted ...

www.patentsstorm.us/patents/7039809-description.html - [Similar pages](#)

Asymmetric encrypted pin - Patent 7039809

A system for decoding encrypted transaction data including account PIN 310 is not provided the private key which is required to open the encrypted ...

www.freepatentsonline.com/7039809.html - [Similar pages](#)

[Previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) [12](#) [13](#) [14](#) [Next](#)

"smart card" transaction PIN encrypt "private key"

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Try Google Experimental](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [Privacy](#) - [About Google](#)

Web Images Maps News Shopping Gmail more ▾

[Sign in](#)



hash "transaction sequence number" encrypt PIN

Search

[Advanced Search](#)
[Preferences](#)

Web

Results 1 - 10 of about 188 for [hash "transaction sequence number" encrypt PIN](#). (0.46 seconds)

Did you mean: [hash "transaction sequence number" encrypted PIN](#)

[Key management technique for establishing a secure channel ...](#)

The method according to claim 1 further comprising: receiving a PIN encryption key KPE at a card issuer server; computing a hash H of transaction data; ...

www.freepatentsonline.com/y2005/0172137.html - [Similar pages](#)

[Single one-time password token with single PIN for access to ...](#)

The method of claim 5, further comprising receiving a hash of a personal Each individual service provider can download the encrypted PIN and token ...

www.freepatentsonline.com/y2007/0130463.html - [Similar pages](#)

[More results from www.freepatentsonline.com »](#)

[\(WO/2007/067349\) SINGLE ONE-TIME PASSWORD TOKEN WITH SINGLE PIN ...](#)

Thus, although the digital signing and encryption parts of the PKI 210 sends the PIN change request to the third party 230 by hashing the PIN first. ...

www.wipo.int/pctdb/en/wo.jsp?IA=WO2007067349&wo=2007067349&DISPLAY=DESC - 80k

- [Cached](#) - [Similar pages](#)

[Transaction authorization system - US Patent 6675153](#)

In one implementation, the encrypted data includes the hash of the member's ... shipping address aliases, the unique transaction sequence number from the ...

www.patentstorm.us/patents/6675153-description.html - [Similar pages](#)

[Slashdot | Citibank Tries to Hush ATM Crypto Vulnerability](#)

Feb 21, 2003 ... For example, many banks used to encrypt each customers PIN using a of the machine it's coming from, transaction sequence number, etc. ...

slashdot.org/articles/03/02/21/1711249.shtml?tid=93 - 187k - [Cached](#) - [Similar pages](#)

[PDF] [E-Cash Withdrawal using Mobile Telephony](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

encryption techniques:. PIN identification: only the authenticated, erating a 16-byte hash value from input values whose lengths are an integer multiple ...

lukejamesoconnor.googlepages.com/1999ecashwithdrawal-rz3113.pdf - [Similar pages](#)

[0018-8646/99/\\$5.00 \(C\) 1999 IBM S/390 CMOS Cryptographic ...](#)

Similarly, the PIN generation key and PIN verification key types are merged into The use of strong hash algorithms rather than an encryption algorithm ...

www.research.ibm.com/journal/rd/435/yeh.txt - 76k - [Cached](#) - [Similar pages](#)

by PC Yeh - [Cited by 6](#) - [Related articles](#) - [All 5 versions](#)

[PS] [Papers on Smartcard Engineering](#)

File Format: Adobe PostScript - [View as HTML](#)

We have a number of encryption algorithms which are thought. to be good (DES, IDEA, ... a major English bank, and told them that she had forgotten her PIN; ...

www.fit.vutbr.cz/~cvrcek/cards/smartcards.ps - [Similar pages](#)

by R Anderson - [Related articles](#) - [All 11 versions](#)

[PDF] [The information is provided as a service by the editor without any ...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

checksum generation for integrity and/or verification of checksum, secure hash. (message digest), cryptographic key encryption and/or decryption, ...

www.eurosmart.com/4-Documents/Files/SCGlossary.pdf - [Similar pages](#)

[PDF] [Microsoft PowerPoint - Lect4_slides.ppt](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

basic security features, such as data encryption and MAC. filtering - disabled by default

Relatively weak compared to a hash or message authentication ...

www.it.lth.se/ssoa/Lectures/Lect4_slides.pdf - [Similar pages](#)

Did you mean to search for: [hash "transaction sequence number" encrypted PIN](#)

[1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [Next](#)

hash "transaction sequence number" encrypt PIN

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#) |
[Try Google Experimental](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [Privacy](#) - [About Google](#)

Web Images Maps News Shopping Gmail more ▾

[Sign in](#)



hash "transaction sequence number" encrypt PIN

Search

[Advanced Search](#)
[Preferences](#)

Web

Results 11 - 20 of about 188 for [hash "transaction sequence number" encrypt PIN](#). (0.13 seconds)

[\(WO/2003/065164\) SYSTEM AND METHOD FOR CONDUCTING SECURE PAYMENT ...](#)

For example, the data to be encrypted can be a concatenation of the merchant ...

Transaction Sequence Number A unique number assigned to this AAV by this ...

www.wipo.int/pctdb/en/wo.jsp?IA=US2003002817&DISPLAY=DESC - 110k -

[Cached](#) - [Similar pages](#)

[Slashdot | Citibank Tries to Hush ATM Crypto Vulnerability](#)

For example, many banks used to encrypt each customers PIN using a key known What goes across the line is considerably more than a hash of the pin and ...

slashdot.org/article.pl?sid=03/02/21/1711249&tid=93 - 153k - [Cached](#) - [Similar pages](#)

[\[PDF\] GP Load and Personalization Interface Specification](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

1998 — Information technology – Security techniques – Hash functions –Part the PEK (PIN Encryption Key). PEK is considered as a specific type of TK. ...

www.globalplatform.org/specifications/archived/archived-GP_LPIS_1.0.pdf - [Similar pages](#)

[\[PDF\] Protecting E-Commerce Systems](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

(CS, KS) and its bank (CB, KB), plus a transaction sequence number S#. Then the customer sends a message containing an order, encrypted under the ...

www.cl.cam.ac.uk/~rja14/Papers/SE-19.pdf - [Similar pages](#)

by M THATCHER - [All 5 versions](#)

[wdiff draft-ietf-pkix-ipki3cmp-00.txt draft-ietf-pkix-ipki3cmp-01.txt](#)

It then generates new user signature and/or encryption public-key certificate(s). The CA responds with the message KeyUpdRep. publishes a hash of this value ...

tools.ietf.org/wg/pkix/draft-ietf-pkix-ipki3cmp/draft-ietf-pkix-ipki3cmp-01-from-00.wdiff.html -

261k - [Cached](#) - [Similar pages](#)

[Cryptographic method for updating financial records - Patent 5231666](#)

Anyone can now encrypt messages and send them to the user, but no one else ... A method for producing digital signatures based on the hash of the data to be ...

www.patentmonkey.com/PM/patentid/5231666.aspx - 126k - [Cached](#) - [Similar pages](#)

[\[PDF\] Ch. 8 – Security \(Draft\)](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Set Authentication Transaction Sequence Number to 1 card plus a PIN. encrypt the data. WEP Key hashing protects weak Initialization ...

www.cabrillo.edu/~bmcmahon/CIS160W-2007/notes/mod8-security-authen.pdf -

[Similar pages](#)

[EP1374131 Mastercard european software patent - System and method ...](#)

For example, the data to be encrypted can be a concatenation of the ... The Transaction Sequence Number used in the previous AAV is incremented by a ...

gauss.ifil.org/PatentView/EP1374131 - 187k - [Cached](#) - [Similar pages](#)

[PDF] ([WHUQDO ,QWHUIDFH6SHFLILFDWLRQ \$XWKRUL]DWLRQ5HFRUG)RUPDWV

File Format: PDF/Adobe Acrobat

Transaction Sequence Number. Authorization Transaction Code The encrypted PIN block format consists of 64 bits of data ...

[www.pruefziffernberechnung.de/Originaldokumente/EIS_1080_v6_3_\(final\).pdf](http://www.pruefziffernberechnung.de/Originaldokumente/EIS_1080_v6_3_(final).pdf) -

[Similar pages](#)

[RFC 2458 \(rfc2458\) - Toward the PSTN/Internet Inter-Networking ...](#)

Requests and responses may also be signed and encrypted. This allows the collection of account numbers or passwords (or PINs) and forms the heart of ...

www.faqs.org/rfcs/rfc2458.html - 133k - [Cached](#) - [Similar pages](#)

[Previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [Next](#)

hash "transaction sequence number" encrypt PIN

[Search](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Try Google Experimental](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [Privacy](#) - [About Google](#)


[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) | [Purchase His](#)

Welcome United States Patent and Trademark Office


Search Results

[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Results for "((pin <and> transaction <and> encrypt)<in>metadata)"

Your search matched 1 of 1860732 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

[Search Options](#)[View Session History](#)[New Search](#)

» Key

IEEE JNL IEEE Journal or Magazine

IET JNL IET Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IET CNF IET Conference Proceeding

IEEE STD IEEE Standard

Modify Search

((pin <and> transaction <and> encrypt)<in>metadata)

[Search](#)☐ Check to search only within this results set

Display Format:



Citation



Citation & Abstract

[IEEE/IET](#)[Books](#)[Educational Courses](#)*Practical applied content provided by GlobalSpec to explain, illustrate and promote technologies. Not reviewed*[view selected items](#)[Select All](#) [Deselect All](#)

1. High security electronic toll and traffic management and road pricing system using encrypt identity number
Tetsusaki, K.;

[Vehicle Navigation and Information Systems Conference, 1994. Proceedings., 1994](#)

31 Aug.-2 Sept. 1994 Page(s):695 - 698

Digital Object Identifier 10.1109/VNIS.1994.396764

[AbstractPlus](#) | Full Text: [PDF](#)(192 KB) IEEE CNF[Rights and Permissions](#)[Help](#) [Contact](#)

Copy

 Powered by
 Inspec®

[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) | [Purchase His](#)

Welcome United States Patent and Trademark Office

[Search Results](#)[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Results for "((pin <and> hash <and> encrypt <and> key)<in>metadata)"

Your search matched 0 of 1860732 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

[Search Options](#)[View Session History](#)[New Search](#)[Key](#)

IEEE JNL	IEEE Journal or Magazine
IET JNL	IET Journal or Magazine
IEEE CNF	IEEE Conference Proceeding
IET CNF	IET Conference Proceeding
IEEE STD	IEEE Standard

Modify Search

☐ Check to search only within this results set

Display Format:



Citation



Citation & Abstract

[IEEE/IET](#)[Books](#)[Educational Courses](#)

IEEE/IET journals, transactions, letters, magazines, conference proceedings, and standards.

[view selected items](#)[Select All](#) [Deselect All](#)

No results were found.

Please edit your search criteria and try again. Refer to the Help pages if you need assistance revising your search

[Help](#) [Contact](#)[Copy](#)Indexed by
 Inspec®